

Table containing horse racing statistics including single tickets (単勝票数), multiple tickets (複勝票数), and various race results (1-12) for the 2-year-old Saddlebred series. It includes columns for race numbers, horse numbers, and various performance metrics.

Table with 30 columns representing race data. Columns include race number, start number, time, and various performance metrics. The data is organized in a grid format with multiple rows and columns.

Table with 25 columns representing race data: horse number, sex, age, sire, dam, sire number, dam number, sire name, dam name, sire number, dam number, sire name, dam name, sire number, dam number, sire name, dam name, sire number, dam number, sire name, dam name, sire number, dam number, sire name, dam name. Includes a '★★★' marker for a specific horse.

Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Place Race Numbers), 枠連票数 (Couplet Race Numbers), 普通馬連票数 (General Horse Race Numbers), 馬単票数 (Horse Single Race Numbers), 3連複票数 (3-Way Place Race Numbers), and 3連単票数 (3-Way Single Race Numbers). Each section contains columns for race numbers (e.g., ①, ②, ③) and corresponding ticket counts.

Table with 25 columns representing race data. Each row contains a sequence of numbers (likely horse IDs or race numbers) and their corresponding finishing positions or times. The data is organized in a grid format with multiple rows per column.

Table with 25 columns representing race data: race number, start number, horse name, jockey, trainer, and various performance metrics. The table contains 25 rows of detailed data for the 2nd race.

Table with 12 columns for race statistics. Includes '単勝票数' (Single Win Votes) with counts and odds, '複勝票数' (Place Votes) with counts and odds, and '枠連票数' (Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '普通馬連票数' (General Horse Couple Votes) with counts and odds, and '馬単票数' (Horse Single Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes 'ワイド(拡大馬連)票数' (Wide (Expanded Horse Couple) Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 12 columns for race statistics. Includes '3連単票数' (3-Way Single Votes) with counts and odds, and '3連複票数' (3-Way Couple Votes) with counts and odds. Race numbers and names are also listed.

Table with 40 columns and 965 rows of horse racing data. Columns include race number, horse number, name, sex, age, sire, dam, and various performance metrics. The data is organized into groups based on race numbers and horse numbers.



Table with 25 columns representing race data for 2-year-old Saddlebred horses. Columns include horse numbers (e.g., 1130, 1131), names, and various performance metrics. The table is organized into 10 rows of data.

Table containing horse racing results for the 4th race. It includes sections for '単勝票数' (Single Win Votes), '複勝票数' (Place Votes), '枠連票数' (Couplet Votes), '普通馬連票数' (General Horse Connection Votes), '馬単票数' (Horse Single Votes), 'ワイド(拡大馬連)票数' (Wide (Expanded Horse Connection) Votes), '3連複票数' (3-Way Connection Votes), and '3連単票数' (3-Way Single Votes). Each section lists horse numbers, jockey names, and their respective vote counts across various betting categories.

Table with 30 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, sex, age, sire, dam, and various performance metrics. The table is organized into 10 groups of 30 horses each, with the first group starting at row 1 and the last group ending at row 1000.

Table with 20 columns representing race data for 2-year-old Saddlebred horses. Columns include horse numbers (e.g., 01300, 01400), names, and various performance metrics. The table is organized into a grid with 10 rows per section.

Table containing horse racing results for the 5th race. It includes sections for '単勝票数' (Single Win Votes), '複勝票数' (Place Votes), '3連複票数' (3-Way Place Votes), and '3連単票数' (3-Way Single Win Votes). Each section lists horse numbers, jockey names, and their respective vote counts across various race categories.

Table with 25 columns representing race data: race number, horse number, name, sex, age, sire, dam, and various performance metrics. Includes a star symbol (★★★) for a notable horse.

33101 平成30年 第5回中山競馬第9日 (12月28日 金曜日) 第5競走 サラブレッド系2歳

Table with 24 columns and 100 rows of horse racing data. Columns include horse numbers (e.g., 7805, 7901), names, and various performance metrics. The data is organized into a grid with some cells containing multiple numbers or codes.

Table with 24 columns representing race data. Each row contains a sequence of numbers (e.g., 03109, 3, 03109, 11, 03109, 1) representing the race order and associated identifiers for each participant.



Table containing horse racing results for the 6th race. It includes columns for race type (e.g., 単勝, 複勝, 3連複), horse numbers, jockey names, and various performance metrics. The table is organized into sections for different race types and includes detailed data for each horse, such as starting position, finishing position, and time.

Table with 25 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, sex, age, sire, dam, and various performance metrics. The data is organized in a grid format with multiple columns per row.

Table with 14 columns representing race data: race number, start number, time, and various performance metrics. The table contains 33102 rows of data.

Table with columns for race details (e.g., 単勝票数, 複勝票数, 連単票数) and horse numbers (1-12). It includes various statistics and odds for each horse and race type.

Table with 25 columns and 836 rows of horse racing data. Columns include race number, horse number, jockey name, and various performance metrics. The table is organized into 10 groups of 25 rows each, with the first group starting at row 56 and the last group ending at row 836.

Table containing horse racing results for the 8th race. It includes sections for '単勝券数' (Single Win Tickets), '複勝券数' (Place Tickets), '枠連券数' (Couplet Tickets), '普通馬連券数' (General Horse Connection Tickets), '馬単券数' (Horse Single Tickets), 'ワイド(拡大馬連)券数' (Wide (Expanded Horse Connection) Tickets), '3連複券数' (3-Way Place Tickets), and '3連単券数' (3-Way Single Tickets). Each section lists various ticket types and their corresponding counts, along with horse numbers and names.

Table with 30 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, sex, age, sire, dam, and various performance metrics. The data is organized into groups of 10 horses per row, with some cells containing multiple numbers representing different race segments or times.





Table with multiple columns containing race results, including horse numbers, jockey names, and race times. The table is organized into sections for different types of races: 単勝票数 (Single Race), 複勝票数 (Double Race), 枠連票数 (Couplet), 普通馬連票数 (General Horse Connection), 馬単票数 (Horse Single), and 3連単票数 (3-in-a-row). Each section includes a list of horses and their respective performance metrics.

Table with 10 columns representing race numbers (e.g., 50101, 50102) and corresponding race data including jockey names and race times.

Table with 13 columns: 単勝票数 (Winning bets), 複勝票数 (Place bets), 特選票数 (Special bets), 普通馬連票数 (General horse combination bets), 馬単票数 (Horse single bets), and ワイド (Wide bets). Each column contains counts and odds for various bet types.

Table with 13 columns: 特選票数 (Special bets), 普通馬連票数 (General horse combination bets), 馬単票数 (Horse single bets), and ワイド (Wide bets). This section continues the betting data from the previous section.

Table with 13 columns: 馬単票数 (Horse single bets), ワイド (Wide bets), 3連複票数 (3-way combination bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連複票数 (3-way combination bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 13 columns: 3連単票数 (3-way single bets), 3連単票数 (3-way single bets), and 3連単票数 (3-way single bets). This section continues the betting data.

Table with 25 columns representing race data. Each row contains a sequence of numbers and symbols (e.g., 3(2)13, 304, 3(2)14, 669, 3(2)15, 182, 3(2)16, 95, 3(2)17, 1853, 3(2)18, 778, 3(2)19, 4409, 3(2)20, 430, 3(2)21, 809, 3(2)22, 279, 3(2)23, 5234, 3(2)24, 4620). The symbols in parentheses likely represent specific race events or markers.

Table with 20 columns representing race data. Columns include race number, time, and various identifiers. The data is organized into rows, with some cells containing multiple numbers or codes. The table is bordered and contains a large volume of numerical information.

Table with columns for race type (単勝, 複勝, 枠連, 普通馬連, 馬単, ワイド, 3連複, 3連単), race number (計), and horse numbers (1-12). It lists various horse numbers and their corresponding race results and odds.

33107 平成30年 第5回中山競馬第9日 (12月28日 金曜日) 第11競走 第35回 ホープフルステークス (GI)

Table of horse racing results for the 33107th event, featuring columns for race number, horse number, race name, and various performance metrics like start number, win number, and time. The table is organized into multiple columns for clarity.

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '単勝票数' (Single Win Votes), '複勝票数' (Place Votes), and '枠連票数' (Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '普通馬連票数' (General Horse Couplet Votes) and '馬単票数' (Horse Single Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for 'ワイド(拡大馬連)票数' (Wide (Expanded Horse Couplet) Votes) and '3連複票数' (3-Place Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '3連単票数' (3-Place Single Votes) and '3連複票数' (3-Place Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '3連単票数' (3-Place Single Votes) and '3連複票数' (3-Place Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '3連単票数' (3-Place Single Votes) and '3連複票数' (3-Place Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '3連単票数' (3-Place Single Votes) and '3連複票数' (3-Place Couplet Votes).

Table with 12 columns for race numbers and 12 columns for horse numbers. Includes sections for '3連単票数' (3-Place Single Votes) and '3連複票数' (3-Place Couplet Votes).



Table with 20 columns (race numbers 3203 to 1203) and 100 rows of data. Each cell contains a number representing a horse's performance in that race, such as 1922, 6712, 398, etc.

Table with columns representing race details: horse number, time, jockey, etc. for the 12th race (Best Wish Cup). The table contains 12 columns of data for each of the 20 horses.