

Table with multiple columns containing race statistics, including single ticket counts (単勝票数), multiple ticket counts (複勝票数), and detailed race results (出走馬連票) for various race types like 的中 (hit) and 的中 (4-8).

Table containing horse racing results for the 2nd race (3-year-old maiden). It includes sections for '単勝票数' (Single Win Votes), '複勝票数' (Place Votes), '連複票数' (Couple Votes), '馬単票数' (Exacta Votes), and '3連単票数' (Trifecta Votes). Each section lists horse numbers, their respective vote counts, and the winning horse (54307).

Table with 15 columns: Race No., Start No., Horse No., Jockey Name, Trainer Name, Horse Name, and various performance metrics (e.g., Time, Distance, Position). The table contains detailed race data for the 2nd race of the 4th Kyoto Race Meeting on June 2, 2024.

16014 2024年 第4回京都競馬第2日 (6月2日 日曜日) 第2競走 3歳未勝利

Table with 30 columns representing race data (horse numbers, jockeys, times, etc.) and 30 rows representing individual race entries. Includes a star marker (★★★) in row 19, column 17.

Table with multiple sections: 単勝票数 (Single Race Results), 複勝票数 (Place Race Results), 枠連票数 (Couplet Race Results), 普通馬連票数 (General Race Results), 馬単票数 (Exacta Race Results), 3連複票数 (Trifecta Race Results), 3連単票数 (Trifecta Single Race Results). Each section contains columns for race numbers, counts, and various statistics.

Table with 10 columns representing race data: Race No., Start No., Horse No., Jockey, Trainer, Race Time, and various performance metrics. The table contains 16015 rows of detailed race results.

Table with 15 columns representing race data: race number, start number, time, and various performance metrics. The table contains 15 rows of data, each representing a different race or participant, with columns for race number, start number, time, and various performance metrics.

Table with multiple sections: 単勝票数, 複勝票数, 枠連票数, 普通馬連票数, 馬単票数, ワイド(拡大馬連)票数, 3連複票数, 3連単票数. Each section contains columns for race numbers, odds, and various statistics.



Table with 24 columns representing race data. Each row contains a sequence of numbers (e.g., 152, 155, 161) and corresponding values (e.g., 7, 5, 3). The table is organized into 12 pairs of columns, with each pair containing a sequence of numbers and a set of values. The data represents the results of a horse race, including horse numbers, jockey numbers, and finishing positions.

Table with 25 columns representing race data. Each row contains a sequence of numbers (likely horse numbers and their finishing positions) and a final number in parentheses. The data is organized in a grid-like format with varying column widths.

Table with 25 columns representing race data. Columns include race number (e.g., 31019), time (e.g., 261), and various performance metrics (e.g., 116, 116, 216, 79, 323, 164, 30, 108, 1995, 3820, 2109). The table contains multiple rows of data for each race, detailing individual horse performance.

Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Place Race Numbers), 枠連複票数 (Couplet Race Numbers), 馬単票数 (Horse Single Race Numbers), and 3連複票数 (Trifecta Race Numbers). Each section contains columns for race numbers, counts, and various statistics.

Table with 24 columns representing race data (horse numbers, jockeys, times, etc.) and 50 rows of entries. The table contains detailed information for each horse in the race, including their starting number, jockey name, and various performance metrics.

Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Double Race Numbers), 枠連票数 (Couplet Race Numbers), 普通馬連票数 (General Horse Race Numbers), 馬単票数 (Horse Single Race Numbers), 3連複票数 (3-in-a-row Double Race Numbers), 3連単票数 (3-in-a-row Single Race Numbers). Each section contains columns for race numbers, counts, and various statistics.

Table with 25 columns (race numbers 32 to 66) and 25 rows of data. Each cell contains a race number and a corresponding numerical value representing the race result.

Table with columns for race number, year, date, and race name. It contains detailed horse race results including horse numbers, names, jockeys, and finishing times for various categories.



Table with multiple sections: 単勝票数 (Single Race Results), 複勝票数 (Place Race Results), 枠連単票数 (Exacta Race Results), 普通馬連単票数 (Standard Race Results), 馬単票数 (Horse Single Race Results), and 3連単票数 (Trifecta Race Results). Each section contains a grid of numbers representing race outcomes and odds.

Table with columns for race details: 単勝票数 (Single Win Votes), 複勝票数 (Place Win Votes), 枠連 (Winning combinations), 中 (Mid-range), 的中 (Hit), and 的中 (Hit) for various bet types. Includes sub-sections for 3連複 (3-way combination) and 3連単 (3-way single).

Table with 12 columns: 単勝票数 (Single Race Votes), 複勝票数 (Place Race Votes), 枠連単票数 (Couplet Race Votes), and 馬単票数 (Horse Single Race Votes). Includes counts and odds for various race types.

Table with 12 columns: 普通馬連単 (General Horse Couplet), 馬単 (Horse Single), and 3連複 (3-Fold Couplet). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

Table with 12 columns: 馬単 (Horse Single), 3連複 (3-Fold Couplet), and 3連単 (3-Fold Single). Lists horse numbers, race numbers, and associated odds.

おん 祇園 特別

16021 2024年 第4回京都競馬第2日 (6月2日 日曜日) 第9競走

Table with 25 columns and 835 rows of horse racing data. Columns include race number, horse number, name, jockey, and various performance metrics. The table is organized into groups of 10 columns each, with the final group containing 5 columns. The data includes horse names like '191', '15482', '164', etc., and various numerical values representing race statistics.

Table with 12 columns and 2 rows. Row 1: 単勝票数 (Single Race Votes) for 796601 (中) and 30712 (8番人気). Row 2: 複勝票数 (Place Race Votes) for 1062546 (中) and 153261 (2番人気).

Table with 12 columns and 2 rows. Row 1: 枠連票数 (Couplet Race Votes) for 273486 (中) and 5834 (19番人気). Row 2: 普通馬連票数 (General Race Votes) for 1518924 (中) and 13383 (26番人気).

Table with 12 columns and 2 rows. Row 1: 馬単票数 (Horse Single Race Votes) for 577221 (中) and 2162 (61番人気). Row 2: 3連複票数 (3-Way Race Votes) for 2603867 (中) and 21468 (37番人気).

Table with 12 columns and 2 rows. Row 1: 3連単票数 (3-Way Single Race Votes) for 2636659 (中) and 2397 (28番人気). Row 2: 3連複票数 (3-Way Race Votes) for 2603867 (中) and 21468 (37番人気).

Main data table with 12 columns and 2 rows. Row 1: 3連単票数 (3-Way Single Race Votes) for 2636659 (中) and 2397 (28番人気). Row 2: 3連複票数 (3-Way Race Votes) for 2603867 (中) and 21468 (37番人気).

Main data table with 12 columns and 2 rows. Row 1: 3連単票数 (3-Way Single Race Votes) for 2636659 (中) and 2397 (28番人気). Row 2: 3連複票数 (3-Way Race Votes) for 2603867 (中) and 21468 (37番人気).

16022 2024年 第4回京都競馬第2日 (6月2日 日曜日) 第10競走 下鴨ステークス

Table with 25 columns (race numbers 7900-8312) and 25 rows of data. Each cell contains a number representing a horse's performance, often with a small number above it indicating a specific race or segment. The numbers are arranged in a grid format.

Table with 12 columns for race details: 単勝票数 (Single Win), 複勝票数 (Place), 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 12 columns for race details: 枠連複票数 (Couplet), 普通馬連勝票数 (General Horses), 馬単票数 (Exacta), and ワイド(拡大馬連勝)票数 (Wide/Expanded Horses).

Table with 24 columns (race numbers 3203 to 0203) and 49 rows of race data. Each cell contains a number representing a horse's performance in that race. The table is organized into a grid with 24 columns and 49 rows.



Table with 25 columns representing race data for the 11th race, 'Matsukazuki' (松風月ステークス). Each row contains a sequence of numbers and codes (e.g., 01300, 4170, 01302, 825, 01303, 1008, 01304, 3275, 01305, 226, 01306, 708, 01307, 79, 01308, 117, 01309, 304, 01310, 441, 01311, 499, 01312, 294) representing various race metrics and participant identifiers.

Table with multiple sections: 単勝票数 (Single Race Numbers), 複勝票数 (Double Race Numbers), 枠連票数 (Couplet Race Numbers), 普通馬連票数 (General Horse Race Numbers), 馬単票数 (Horse Single Race Numbers), ワイド(拡大馬連)票数 (Wide/Expanded Horse Race Numbers), 3連複票数 (3-Way Race Numbers), and 3連単票数 (3-Way Single Race Numbers). Each section contains columns for race numbers, odds, and various statistics.

Table with 10 columns and 1000 rows of horse racing data. Columns include race number, horse number, name, sex, age, and various performance metrics. The data is organized into 10 groups of 100 rows each.

Table with 25 columns representing race data including horse numbers, jockey names, and race times. The table is organized into 10 rows of data, with the 10th row containing a star symbol (☆☆☆) in the 15th column.